



# Configuration de Grafana pour Zabbix

## Ajout du plugin


Il faut ajouter le plugin pour Zabbix.



On cherche le plugin Zabbix.



On l'active.



# Plugins / Zabbix

Alexander Zobnin

Readme

Config

Signed

Grafana Labs checks each plugin to verify that it has a valid digital signature. Plugin signature verification is part of our security measures to ensure plugins are safe and trustworthy.

[Read more about plugins signing](#)

### Zabbix Plugin Config

Enable

**Version**  
4.1.2

**Includes**

- Zabbix data source
- Problems panel

**Dependencies**


- Grafana 7.3

**Links**


- [GitHub](#)
- [Docs](#)
- [License](#)







## Ajout de Zabbix en tant que source de données

On ajoute la source de données.




### Configuration



-  Data Sources
-  Users
-  Teams
-  Plugins
-  Preferences
-  API Keys

Cancel



Zabbix

Signed

On rentre les informations.

Name ⓘ Zabbix

Default ☒

### HTTP

URL ⓘ http://IP\_SERVEUR:8090/api\_jsonrpc.php

Access Server (default) [Help >](#)

Whitelisted Cookies ⓘ 

Add Name

Add

### Auth

Basic auth ☒ With Credentials ⓘ ☐

TLS Client Auth ☐ With CA Cert ⓘ ☐

Skip TLS Verify ☐

Forward OAuth Identity ⓘ ☐

### Basic Auth Details

User Admin

Password .....

### Custom HTTP Headers

+ Add header

### Zabbix API details

Username Admin

Password .....

Trends ☒

After ⓘ 7d

Range ⓘ 4d

Cache TTL ⓘ 1h

Timeout ⓘ 30

### Direct DB Connection

Enable ☐

### Other

Disable acknowledges for read-only users ☐

(PS : pour la sécurité, il faut avoir un compte dans Zabbix dédié à Grafana, avec accès à l'API et aux hôtes via les permissions)

Et pour le port, si définit dans le docker-compose :

ports:

- 8090:8080

Il faut mettre le port 8080.

---

Revision #4

Created 7 February 2021 20:29:57 by Khroners

Updated 5 July 2021 16:29:59 by Administrateur