



Configuration de Grafana pour Zabbix

Ajout du plugin


Il faut ajouter le plugin pour Zabbix.



On cherche le plugin Zabbix.



On l'active.



Plugins / Zabbix

Alexander Zobnin

Readme

Config

Signed

Grafana Labs checks each plugin to verify that it has a valid digital signature. Plugin signature verification is part of our security measures to ensure plugins are safe and trustworthy.

[Read more about plugins signing](#)

Zabbix Plugin Config

Enable

Version
4.1.2

Includes

- Zabbix data source
- Problems panel

Dependencies

- Grafana 7.3

Links

- [GitHub](#)
- [Docs](#)
- [License](#)

Ajout de Zabbix en tant que source de données

On ajoute la source de données.

Configuration

Data Sources

Users

Teams


Plugins

Preferences

API Keys

zabb

Cancel



Zabbix

Signed

On rentre les informations.

Name ⓘ Zabbix

Default ☒

HTTP

URL ⓘ http://IP_SERVEUR:8090/api_jsonrpc.php

Access Server (default) [Help >](#)

Whitelisted Cookies ⓘ

Add Name

Add

Auth

Basic auth ☒ With Credentials ⓘ ☐

TLS Client Auth ☐ With CA Cert ⓘ ☐

Skip TLS Verify ☐

Forward OAuth Identity ⓘ ☐

Basic Auth Details

User Admin

Password

Custom HTTP Headers

+ Add header

Zabbix API details

Username Admin

Password

Trends ☒

After ⓘ 7d

Range ⓘ 4d

Cache TTL ⓘ 1h

Timeout ⓘ 30

Direct DB Connection

Enable ☐

Other

Disable acknowledges for read-only users ☐

(PS : pour la sécurité, il faut avoir un compte dans Zabbix dédié à Grafana, avec accès à l'API et aux hôtes via les permissions)

Et pour le port, si définit dans le docker-compose :

ports:

- 8090:8080

Il faut mettre le port 8080.

Revision #4

Created 7 February 2021 20:29:57 by Khroners

Updated 5 July 2021 16:29:59 by Administrateur