


# Installation du plugin Zabbix et configuration de Grafana


On doit installer un plugin pour utiliser les données de Zabbix.


```
grafana-cli plugins install alexanderzobnin-zabbix-app  
service grafana-server restart
```

Dans Grafana, sous Configuration et Plugins, on active le plugin.




Ensuite, on ajoute la source de données.





On rentre l'adresse du serveur Zabbix, le compte zabbix pour l'API



on coche cette case, car le certificat est auto-signé.

### Auth

Basic auth	<input type="checkbox"/>	With Credentials ⓘ	<input type="checkbox"/>
TLS Client Auth	<input type="checkbox"/>	With CA Cert ⓘ	<input type="checkbox"/>
Skip TLS Verify	<input checked="" type="checkbox"/>		
Forward OAuth Identity ⓘ	<input type="checkbox"/>		

On rentre le compte Zabbix (il est préférable de créer un compte spécialement pour cela).

### Zabbix API details

Username	Admin
Password	•••••
Trends	<input checked="" type="checkbox"/>
After ⓘ	7d
Range ⓘ	4d
Cache TTL ⓘ	1h
Timeout ⓘ	30

On clique sur "Save & Test".

### Zabbix API details

Username

Admin

Password

Configured

Reset

Trends

☒

After

7d

Range

4d

Cache TTL

1h

Timeout

30

✓ Datasource updated

×

#### Direct DB Connection

Enable

☐

#### Other

Disable acknowledges for read-only users

☐

Disable data alignment


☐

✓ Zabbix API version: 5.2.5

Save & Test

Delete

Back

 Activer Windows

Accédez au Centre de maintenance pour activer Windows.

Revision #4

Created 26 March 2021 17:03:05 by Administrateur

Updated 5 July 2021 16:29:59 by Administrateur