

Déploiement d'Office pour ses utilisateurs

Présentation

Il existe différents moyens de déployer Office.

- Déploiement manuel : installation manuel sur chaque poste d'Office
- Déploiement par SCCM / MDT
- Déploiement par GPO depuis une source locale ou Microsoft

Je vais détailler ici la dernière.

Déploiement par GPO depuis une source locale

On se rend sur cette page, et on rentre la manière dont l'on veut déployer Office.

<https://admin.microsoft.com/adminportal/#/modernonboarding/cdnwizard>

Cela nous génère un fichier à télécharger en XML à inclure dans notre partage. On télécharge et on y place également l'ODT (Office Deployment Tool). Une fois les deux fichiers présents, on exécute la commande :

```
%DeployServer%setup.exe /configure %ConfigFile%
```

On remplace %DeployServer% par le chemin du setup (ODT) et %ConfigFile% par le chemin du fichier XML. Cela va télécharger Office.

On crée une GPO pour déployer Office en ajoutant ce script au logon des ordinateurs.

```
REM Beginning of Script
REM
-----
-----

setlocal

REM *****
REM Environment customization begins here. Modify variables below.
REM *****
REM Set DeployServer to a network-accessible location containing the Office source files.
set DeployServer=\\SRV-WSUS01\Office$\Production\
REM Set ConfigFile to the configuration file to be used for deployment (required)
set ConfigFile=\\SRV-WSUS01\Office$\Production\ConfigurationProd.xml
REM *****
REM Deployment code begins here. Do not modify anything below this line (check quotes are
quotes though).
REM *****

IF NOT "%ProgramFiles(x86)%"==" " (goto ARP64) else (goto ARP86)
REM Operating system is X64. Check for 32 bit Office in emulated Wow6432 registry key
: ARP64
reg query HKLMSOFTWAREWOW6432NODEMicrosoftOffice16.0ClickToRunStorePackages{9AC08E99-230B-
47e8-9721-4577B7F124EA}
if NOT %errorlevel%==1 (goto End)
REM Check for 32 and 64 bit versions of Office 2016 in regular registry key.(Office 64bit
would also appear here on a 64bit OS)
: ARP86
reg query HKLMSOFTWAREMicrosoftOffice16.0ClickToRunStorePackages{9AC08E99-230B-47e8-9721-
4577B7F124EA}
if %errorlevel%==1 (goto DeployOffice) else (goto End)
REM If 1 returned, the product was not found. Run setup here.
: DeployOffice
start /wait %DeployServer%setup.exe /configure %ConfigFile%
REM If 0 or other was returned, the product was found or another error occurred. Do nothing.
: End
Endlocal
REM End of Script REM
-----
-----
```

Conclusion

Office sera déployé.

Revision #1

Created 8 June 2021 18:50:39 by Khroners

Updated 8 June 2021 20:19:21 by Khroners