


Ajout de l'ESXI dans Veeam

Dans "BACKUP INFRASTRUCTURE" puis "Managed Servers", on ajoute notre serveur ESXI.



On choisit VMware vSphere.

Add Server

Select the type of a server you want to add to your backup infrastructure. All already registered servers can be found under the Managed Servers node on the Backup Infrastructure tab.



VMware vSphere

Adds VMware private cloud infrastructure servers to the inventory.



Microsoft Hyper-V

Adds Microsoft private cloud infrastructure servers to the inventory.



Microsoft Windows

Adds Microsoft Windows server (Windows 2008 R2 SP1 or later, Windows 7 SP1 or later).



Linux

Adds Linux server (must use bash shell, and have SSH and Perl installed).

On choisit vSphere,



VMware vSphere

Select the type of a VMware server you want to add to the inventory.



vSphere

Adds vCenter Server (recommended), or standalone vSphere Hypervisor (ESXi) to the inventory.



vCloud Director

Adds VMware vCloud Director server to the inventory.

On entre le nom DNS ou l'adresse IP de notre ESXi.

**Name**

Specify DNS name or IP address of VMware server.








Name	DNS name or IP address: <input type="text" value="192.168.199.252"/>
Credentials	Description: <input type="text" value="ESXi - esxi.home.khroners.fr - DL 360p Gen 8"/>
Summary	

< Previous **Next >** Finish Cancel


On ajoute les identifiants pour veeam. Le compte doit être administrateur sur l'ESXi

**Credentials**



Select server administrator's credentials. If required, specify additional connection settings including web-service port number.

Name	Select an account with local administrator privileges on the server you are adding. Use DOMAIN\USER format for domain accounts, or HOST\USER for local accounts.
Credentials	Credentials: <div> <input type="text" value="REDACTED"/> </div> 
Summary	Manage accounts
Default VMware web services port is 443. If connection cannot be established, check for possible port customization in the vCenter Server or ESX(i) server settings. Port: <input type="text" value="443"/>	
<div>   </div>	

On clique sur continuer. (j'ai une alerte car j'ai rentré l'adresse IP et non le nom DNS de l'ESXI).



Veeam vérifie la connexion et sauvegarde la configuration.



Dans INVENTORY, on voit le serveur et les VMs.

Inventory

Virtual Infrastructure

- VMware vSphere
 - Standalone Hosts
 - esxi.home.khroners.fr

Physical Infrastructure

- Manually Added
- Unmanaged
- File Shares
- Last 24 Hours
 - Success
 - Warning

Home

Inventory

Backup Infrastructure

Storage Infrastructure

Tape Infrastructure

Files

Type in an object name to search for

Name	Used Size ↓	Provisioned Size	Folder
[AZURE] WDS01	54,5 GB	204,1 GB	vm
[AZURE] SRV-WSUS01	32,9 GB	182,9 GB	vm
Docker services	27 GB	307,3 GB	vm
[AZURE] PROF-PC01	21,7 GB	52,1 GB	vm
[AZURE] SRV-DC01	21,2 GB	54,1 GB	vm
[AZURE] PROF-PC02	17,2 GB	52,3 GB	vm
pfSense	16 GB	17,8 GB	vm
[AZURE] SRV-BACKUP01	14,9 GB	54,1 GB	vm
Pi-hole	10,7 GB	32,6 GB	vm
OpenVPN Access Server	8,1 GB	9,1 GB	vm

0 virtual machines

Connected to: localhost Build: 11.0.0.837 P20210525 Community Edition

Revision #2

Created 22 January 2021 19:24:18 by Khroners

Updated 1 June 2021 16:34:33 by Khroners